

Laray Viscometer



INTRODUCTION

The Laray Viscometer determines the viscosity of a wide range of liquids and viscous materials by measuring the time required for a rod to travel a specified distance. Viscosity is calculated from this time.

APPLICATIONS

- All kinds of liquid and viscous materials.
- Ideal for printing inks.

SPECIFICATIONS

Meets ASTM D4040-81

OPTIONS

Chronoviscometer for automatic measurement of the time for the rod to fall between 2 test points, 10cm apart.

Lighter weight glass rod to measure low viscosities.

1kg, 2kg and 3kg weights to measure higher viscosities.

Water circulation jacket; optional heater

FEATURES

- Rugged design
- Simple to operate

INSTRUMENT SIZE

Depth: 170 mm (6.7 in.)
Height: 400 mm (15.75 in.)
Width: 170 mm (6.7 in.)
Weight: 5.6 kg (12.4 lb)

INSTRUMENT SIZE (CHRONOVISCOMETER)

Depth: 300 mm (12.0 in.)
Height: 100 mm (4.0 in.)
Width: 250 mm (10.0 in.)
Weight: 3.4 kg (lb)

CONNECTIONS

Electrical: Specify voltage requirements when ordering

ORDERING INFORMATION

Model VM 1, catalog number 92-15-00
Chronoviscotimer, catalog number 92-15-03

**The TMI Group
of Companies**



www.testingmachines.com

Testing Machines, Inc. 2 Fleetwood Court, Ronkonkoma, NY 11779 USA
Tel: 800-678-3221 (USA) or (631) 439-5400, Fax: (631) 439-5420, e-mail: info@testingmachines.com

Messmer Instruments Ltd. Unit F1 Imperial Business Estate, West Mill, Gravesend, Kent DA11 0DL
UK Tel: +44 (0) 1474 566488, Fax: +44 (0) 1474 560310, e-mail: messmer@testingmachines.com

Büchel BV Fokkerstraat 24, 3905 KV Veenendaal, Netherlands
Tel: +31 (0) 318 521500, Fax: +31 (0) 318 540358, e-mail: buchel@testingmachines.com

Adamel Lhomargy SARL Z.A. de l'Habitat, Batiment 6, Route d'Ozoir, 77680, Roissy en Brie, France
Tel: +33 (0) 1 6440291, Fax: +33 (0) 1 64409211, e-mail: adamellhomargy@testingmachines.com

TMI Canada P.O. Box 203, Pointe Claire-Dorval, QC, H9R-4N9 Canada
Tel: (514) 426-5855, Fax: (514) 426-1557, e-mail: Canada@testingmachines.com